CHURCHMAN - AN EXPLANATION OF THE MAGNETIC ATLAS

538.7
C563
L790
R.B.

PEABODY INSTITUTE LIBRARY
BALTIMORE 2, MARYLAND

RLC

AN EXPLANATION OF THE MAGNETIC ATLAS, OR VARIATION CHART,

HEREUNTO ANNEXED;

PROJECTED ON A PLAN ENTIRELY NEW,

BY WHICH THE MAGNETIC VARIATION ON ANY PART OF THE GLOBE MAY BE PRECISELY DETERMINED, FOR ANY TIME, PAST, PRESENT, OR FUTURE: AND THE VARIATION AND LATITUDE BEING ACCURATELY KNOWN, THE LONGITUDE IS OF CONSEQUENCE TRULY DETERMINED.

BY JOHN CHURCHMAN,

Late land surveyor for the district of the counties of DELAWARE *and* CHESTER, *and for part of* LANCASTER *and* BERKS, PENNSYLVANIA.

PHILADELPHIA:
PRINTED BY *JAMES & JOHNSON*, ON THE NORTH SIDE OF MARKET-STREET, BETWEEN THIRD AND FOURTH-STREETS.
M, DCC, XC.

Chr^an Mayer.

536.4
C563
1790
R.B.

District of Pennsylvania, to wit.

BE it remembered, that on the seventeenth day of June, in the fourteenth year of the Independence of the United States of America, *John Churchman*, of the said district, hath deposited in this office, the title of a book, and the title or dedication of a chart, the right whereof he claims as Author, the title of the book being in the words following, *to wit.*

" *An Explanation of the Magnetic Atlas, or Variation* " *Chart, hereunto annexed*; projected on a plan entirely " new, by which the *Magnetic Variation* on any part of " the globe may be precisely determined, for any time, " past, present, or future: and the variation and latitude " being accurately known, the *longitude* is of consequence " truly determined: By *John Churchman*, late land-sur- " veyor for the district of the counties of Delaware and " Chester, and for part of Lancaster and Berks, Penn- " sylvania;" and the title or dedication of the chart being " in the words following, *to wit*:"

" To *George Washington*, President of the United " States of *America*, this *Magnetic Atlas*, or *Variation* " *Chart*, is humbly inscribed by *John Churchman*:"—in conformity to the Act of the Congress of the United States, entitled, " An act for the encouragement of learning, by securing the copies of maps, charts, and books, to the authors and proprietors of such copies, during the terms therein mentioned."

SAMUEL CALDWELL

Clerk of the District of

PENNSYLVANIA.

PEABODY INSTITUTE LIBRARY
BALTIMORE 2, MARYLAND

PREFACE.

IT appears probable that one of the principal cauſes, why more uſeful diſcoveries are not made, is the fear of ridicule, which is ſometimes the fate of projectors who promulgate new opinions, and attempt new experiments. A deſire of avoiding the ſarcaſms of ignorance and malevolence, may ſuppreſs many uſeful inventions; yet we find ſome gradually preſs forward; and although, for want of encouragement, an hundred probable ſchemes may ſink in oblivion, there will ever be ſome of ſuch magnitude, in the eyes of their own inventors, that, regardleſs of the "*world's dread laugh*," they will burſt into day, and either go off in vapour, or remain permanent lights.

In a ſituation of ſpeculative enquiry, I confeſs I had long continued; and in the beginning of the year 1787, I riſked a declaration of my opinions before the public, apprehending I had formed a plan of much importance to navigation, confiding in their generoſity to give it a candid reception, which in a great meaſure I was ſo fortunate as to obtain: and as the firſt principles ſeem at preſent to be univerſally admitted, I have the more reaſon to hope for further indulgence towards this little tract, which is deſigned

to accompany and explain the MAGNETIC ATLAS, or VARIATION CHART of all the Northern Hemiſphere. If any imperfections ſhould be found in either of them, the reader is reſpectfully ſolicited to ſupply the defect; and I truſt, notwithſtanding, under a conviction that they will do no *injury* to mankind, they may at leaſt obtain for me their pardon, if not their thanks for my *intention* of rendering them a *ſervice*. And yet, I muſt acknowledge, that, in purſuing this ſubject, I conſidered it alſo as an object of emolument, although in this reſpect I have done nothing more, than to accept the invitation held out by many Governments, with promiſes of a generous reward, to engage perſons in the public ſervice.

Having premiſed thus much, I ſhall, in the following treatiſe, proceed to deſcribe, in a more particular manner, the elements of a ſyſtem, which, I apprehend, attains to the actual and complete *Diſcovery of the* LONGITUDE.

This indeed is a ſubject which, hitherto, has generally excited a ſmile, whenever attempted; yet I have riſked *that*, for the public good.

The variation of the compaſs, and its heretofore (imagined) uncertain laws, have long engaged the attention of philoſophers. Why it ſhould change, and become at one time *ſlow*, at another time *quick*, now *ſtationary*, and then *retrograde*, has puzzled the enquirer. Theſe have long been ſubjects of obſervation; yet I have never heard that any regular ſyſtem has hitherto been publiſhed, to account for or foretell, upon any rational plan, what will be the future move-

ments of this wonderful phenomenon, the magnetic influence. Whether my attempts to reconcile all these difficulties, and, of consequence, to build on them a certain system of longitude, will prove successful, or not, must be left to the world to judge.

The proposed problems may be solved by the magnetic atlas alone, without an accurate knowledge of the magnetic elements; but as the elements result from a multitude of observations, reflections, and deductions, and are the leading principles on which the chart is constructed, perhaps an explanation of them may not be unacceptable. They will appear in the first chapter, and will, no doubt, be found easy and intelligible, but more especially to all those who have in the least degree applied themselves to the study of spherical geometry, or the use of the globes.

As the introduction of a number of new terms appeared absolutely necessary, the liberty taken in this respect will be deemed pardonable.

Subſcribers Names come to hand.

TITLES are conſidered as being of ſeveral kinds: 1ſt, Such as are merely epithetical; 2d, the uſual names of office; 3d, appendages, &c. In a republican government, it is hoped that none in the following liſt will be offended at the omiſſion of the former, eſpecially as the perſonage to whom the Magnetic Atlas is addreſſed has generally no other title than that of Preſident of the United States. Were there a conformity to cuſtom, thoſe diſtinguiſhed characters would have the correſponding epithets prefixed, ‡ Right Reverend, † Reverend, § His Excellency, * Honourable; thoſe marked ‖ are members of the American Philoſophical Society.

A

§ John Adams, Eſq; L. L. D. Vice Preſident of the United States, and Preſident of the Senate.
‖† John Andrews, D. D. Profeſſor of Rhetoric and Belles Lettres, in the College and Academy of Philadelphia.
Captain William Atkinſon.
Captain Aſhmead.
Richard Adams.
John Adlum, Eſq.
John Arndt, Eſq,
‖† Burgeſs Alliſon, A. M. Director of the Academy at Bordentown.
J. Allibone.

B

* Theodorick Bland, Eſq; M. H. R. Congreſs.
* Ædanus Burke, Eſq; M. H. R. Congreſs.
* Daniel Broadhead, Eſq; Surveyor General of Pennſylvania.
‖ William Barton, Eſq; Counſellor at Law.
‖ Benjamin Smith Barton, M. D. Profeſſor of Natural Hiſtory and Botany, in the College of Philadelphia
* Charles Biddle, Eſq; Preſident of the Marine Society, and late Vice Preſident of the Supreme Executive Council of Pennſylvania.
Hilary Baker, Eſq; one of the Aldermen of the city of Philadelphia.
* Lord Butler, Member of the Supreme Executive Council of Pennſylvania.
* William Bingham, Eſq;
John Boyd, M. D.
Clement Biddle, Eſq;
Lewis Brantz.
Captain Joſhua Barney.
William Barrall, Eſq; Attorney at Law.
* Daniel Bowley, Eſq.
James Baker, Eſq; land-ſurveyor.
John Beall, Eſq;
Francis Bailey, Printer.
Edward Burd, Eſq; Prothonotary of the Supreme Court of Pennſylvania.
‖ Samuel Bard, M. D.
John Barney.
Andrew Brown, Printer.
‖ James Bringhurſt (and ſon.)
Joſeph Ball, Eſq; one of the Aldermen of Philadelphia.
John Baine, junior.

C

‡ John Carrol, D. D. Biſhop of the Roman Catholic Church in the United States.
* Jeremiah T. Chaſe, Eſq; of the Council in Maryland.
* Charles Carrol, of Carrolton, Eſq; Senator of the United States.
§ George Clinton, Eſq; Governor and Commander in Chief of New-York.
* Benjamin Contee, Eſq; M. H. R. Congreſs.
* Iſaac Coles, Eſq; M. H. R. Congreſs
* Lewis Le Couteulx, Eſq; Member of the National Aſſembly at Paris
* Samuel Chaſe, Eſq;
Gabriel Chriſtie, Eſq.
Skipwith Coale.

Philip Coale.
Captain Joſeph Caulke.
Ambroſe Clark.
James Campbell.
Major William Crane.
Matthew Cary, Printer.
James Galbraith.
Alexander Chriſtie.
Francis Childs and John Swaine.
Samuel Coates.
Richard Colles.
Marmaduke Cooper.
David Hayfield Conyngham.
James Chapman
‖ Matthew Clarkſon, Eſq; one of the Aldermen of Philadelphia.
Thomas Canby.
‖ John Chapman, Eſq; Member of the General Aſſembly of Pennſylvania.
Chriſtopher Colles.
George Campbell, Eſq; Regiſter for the Probate of Wills, Philadelphia.
George Churchman, junior.

D

‖* Le Chevalier D'Anemours, French Conſul for Maryland and Virginia.
‖ Sharp Delany, Eſq; Collector of the Cuſtoms at Philadelphia.
‖ Henry Drinker, Eſq; one of the Common Council of Philadelphia.
† William Duke.
John Dunkin,
William Dean.

E

‖ Andrew Ellicott, Eſq;
John Ellicott.
Samuel Earle, Eſq; Counſellor at Law.
Thomas Elliott, Eſq;
Griffiths Evans, Eſq;
Joſeph Evans.

F

‖§ Benjamin Franklin, L. L. D. F. R. S. late Patron and Preſident of the American Philoſophical Society, &c. &c.
‖ Miers Fiſher, Eſq; Counſellor at Law.
‖ George Fox, Eſq;
James C. and Samuel W. Fiſher.
Joſeph Few.
* William Findly, Eſq; Member of the Supreme Executive Council of Pennſylvania.
John Fitch.
Chriſtian Febiger, Eſq; State Treaſurer for Pennſylvania.

G

‖§ Don Diego de Gardoqui, Plenipotentiary Encargado de Negocios of his Catholic Majeſty.
* Amos Gregg, Eſq; Member of the Supreme Executive Council of Pennſylvania
Frederick Green, Eſq;
John Lee Gibſon, Eſq; Prothonotary of Harford county, Maryland.
Albert Gallatin, Eſq; member of the State Convention, Pennſylvania.
William Goddard.
Daniel Grant.
Dr Reuben Gilder.
Benjamin Griffith,
Thomas Gregg.
Joſhua Gilpin,
Gurney & Smith.
George and Robert Gray.

H

* Alexander Hamilton, Eſq; Secretary of the Treaſury.
Thomas Harwood, Eſq; Treaſurer of the Weſtern Shore, Maryland.
* Daniel Heiſter, Eſq; M. H. R. Congreſs.
‖ Michael Hillegas, Eſq; late Treaſurer of the United States.
* Benedict Hall, Eſq; late Senator in Maryland.
Col. Joſeph Carvil Hall.
* Samuel Hughes, Eſq; of the Senate of Maryland.
Col. Henry Hollingſworth.
* Henry Hill, Eſq; late Member of the Supreme Executive Council of Pennſylvania.
Col. Stephen Hyland.
Joſeph Hancock, of London.
‖ Dr. Robert Harris.
Aſhton Humphreys, Eſq; Counſellor at Law.

James Harford, Briſtol, Great-Britain.
Patrick Hamilton, Eſq.
Thomas Hall, Eſq
Daniel Humphreys.
John Hayes.
Harriſon and Purdy.
Reading Howell.
‖ Levi Hollingſworth.
Zebulon Hollingſworth, ſen.
John Hills, late an officer in the Britiſh army
Michael Hedrick.
Thomas Howard.

I

* John Jay, Eſq; Chief Juſtice of the Supreme Court of the United States, and late Secretary for the Department of Foreign Affairs.
‖* Thomas Jefferſon, Eſq; Secretary of State, late Miniſter Plenipotentiary at the Court of France.
* Samuel Johnſon, L. L. D. Preſident of Columbia College, and Member of the Senate of Congreſs.
Thomas Jennings, Eſq; Counſellor at Law.
† John Ireland, Director of the Academy in Harford county.
‖ Francis Johnſon, Eſq; Receiver General of the Land Office, Pennſylvania.
‖ Joſeph James.
Doctor David Jackſon.
‖ Jared Ingerſoll, Eſq; Counſellor at Law.
Owen Jones, junior.
George James.
Benjamin Johnſon.

K

John Kemp, L. L. D. Profeſſor of Mathematics, in Columbia College, New-York.
* John Kilty, Eſq; of the Council of Maryland
* Chriſtopher Kucher, Eſq; Member of the Supreme Executive Council, Pennſylvania.
David Kennedy, Eſq; Secretary of Land Office, Pennſylvania.
Solomon Kitt, of Germany.
Captain Archibald Kerr.
Joſeph Kirkbride, Eſq.
Shepard Kollock.
Abraham Kintzing.
William Kerſey, Land Surveyor, York county, Pennſylvania.
John Kaighn, Eſq.

L

* Thomas Sim Lee, Eſq; ſome time Governor of Maryland.
P. Letherbury, Counſellor and Profeſſor of Law, Waſhington College.
* Edward Langworthy. Eſq.
Thomas Lloyd, Eſq; Counſellor at Law.
Robert Lewis.
George Latimer, Eſq.
James Logan, Eſq.
Captain Henry Liſle.
Maurice Liſle, Eſq. Tortola.
Ebenezer Large.
Mordecai Lewis.
Moſes Levy, Eſq; Counſellor at Law

M

‖§ Thomas Mifflin, Eſq; Preſident of the Supreme Executive Council of Pennſylvania.
§ Le Comte de Mouſtier, Miniſter Plenipotentiary from the Court of France.
* Frederick Auguſtus Muhlenberg, Eſq; Speaker of the Houſe of Repreſentatives.
‖* James Madiſon, Eſq; M.H.R. Congreſs.
‖* Thomas M'Kean, Eſq; L. L. D. Chief Juſtice of the Supreme Court of Pennſylvania.
‖* Samuel Miles, Eſq; Mayor of the City of Philadelphia, and member of the Supreme Executive Council.
‖ Walter Minto, L. L. D. Profeſſor of Mathematics, Princeton College
* James Martin, Eſq; Member of the Supreme Executive Council Pennſylvania.
John F Mercer, Eſq; Counſellor at Law.
Chriſtian Mayer, of Gottingen,

Luther Martin, Eſq; Attorney General of the State of Maryland.
Thomas May, Eſq; Burgeſs for the Borough of Wilmington.
David M'Mechen, Eſq; Counſellor at Law.
Major Alexander M'Caſkey.
George Meade, Eſq.
‖ Charles Moore, M. D.
‖ John Morris, M. D.
Richard Morris, Eſq.
Magnus Miller
Archibald M'Call.
Benjamin Maſon.
Major Edward Moyſton.
Thomas Millard.
Jonathan Miller.
George Mann.
John Morton.
Benjamin R. Morgan, Eſq; Attorney at Law.
Benjamin Morgan.
Thomas Mendenhall.
Chriſtopher Marſhal, jun.
Captain William Marſhall, New-York.

N

John Nicholſon, Eſq; Comptroller General of Pennſylvania.
John Nancarrow.
John Maxwell Neſbitt, Eſq; one of the Aldermen of Philadelphia.
Philip Nicklin.
Alexander Neſbitt.

O

† William Otterbine.
Laurence O'Neale, Eſq; Member of the General Aſſembly, Maryland.
Thomas Owings. Eſq; Baltimore County.
Col Eleazer Oſwald.

P

* William Patterſon, Eſq; Senator of Congreſs.
‖* John Page, Eſq; M. H. R. Congreſs.
* Joſiah Parker, Eſq; M. H. R. Congreſs.
* George Plater, Eſq; Preſident of Senate and State Convention of Maryland
‖ Samuel Powel, Eſq; late Mayor of the city of Philadelphia.
Baron Polnitz
Ignatius Browne Palyart.
* Zebulon Potts, Eſq; Member of the Supreme Executive Council of Pennſylvania.
‖ James Pemberton, Eſq; one of the Common Council of Philadelphia.
John Pemberton.
‖ Edward Pennington, Eſq.
George Palmer, Eſq; Land Surveyor.
‖ Charles W Peale.
‖ Robert Edge Pine.
John Peadle, M. D. F. L. R.
M Peadle.
Iſaac Price.
Stephen Page.
Thomas Paſchal.
Captain William Pell.

R

† John Rodgers, D. D. New-York.
‖ Thomas Ruſton, M D.
† William Rogers, A. M. Profeſſor of Engliſh and Oratory in the College of Philadelphia.
‖* David Redick, Eſq; late a Member of the Supreme Executive Council, and of the State Convention, Pennſylvania.
George Roberts, Eſq; one of the Aldermen of the city of Philadelphia, and a Member of the State Convention.
James Read, Eſq.
Colonel John Rogers, Maryland.
William Rogers, New-York.
Rundle & Murgatroyd.
Rice & Co Bookſellers and Stationers.

S

§ William Smallwood, Eſq; late Governor and Commander in Chief of Maryland.
‖† Samuel Stanhope Smith, D D. Vice Preſident of the College of New-Jerſey.
Major General the Baron Steuben.

* Thomas Scott, Esq; M. H. R. Congress.
* Abraham Smith, Esq; Member of the Supreme Executive Council Pennsylvania.
Doctor Benjamin Say, F. C. P. P.
‖ Jonathan Bayard Smith, Esq; late Prothonotary of the city and county of Philadelphia.
Captain William B. Smith.
Captain Clement Skerrett.
Captain James Service.
Daniel Sheridine.
Richard Stockton, Esq.
William Spotswood, Printer and Bookseller.
Jonathan Sellman.
Joseph Shotwell.
Thomas Seddons, Printer and Bookseller.
Thomas Shields.
John Strawbridge, Esq.
Abraham Shoemaker.
James Story.
Doctor — Sparhawk.
Snowden & North.
Doctor Andrew Spence.

T

* Thomas Tudor Tucker, Esq; M. H. R. Congress.
Sir John Temple, Bart. Consul from Great-Britain.
‖ William Thornton, M. D.
Richard S. Thomas.
Philip Thomas, Rockland Farm.
John Todd, Esq; Counsellor at Law.
John Thomson.
James Trenchard.
S. Tillinghurst.
Jacob Tyson.
Evan W. Thomas, Student at Law.

V.

* Adrian Valck, Esq; Consul of the United Netherlands, in Maryland, &c.
General J. A. Varnum.
Col. Gabriel Peterson Vanhorn.
Charles Van Couver.
Henry Voight.

U

Thomas B. Usher,

W

‡ William White, D. D. Bishop of the Protestant Episcopal Church in Pennsylvania.
† William West, B. D.
Alexander Willcox, Esq; Recorder of the city of Philadelphia.
General Otho Holland Williams, Collector of the Customs at Baltimore.
Col. John Weems, Calvert county, Maryland.
Turbutt Wright, Esq; Counsellor at Law.
Baruck Williams, Esq; Prothonotary of Cecil county, Maryland.
Charles C. White, Esq; Attorney at Law.
Captain M. Willing.
Captain Willet.
John Wilson.
Lewis Walker.
John Warder.
John Wilcox.
Samuel Wallis, Esq;
Amos Wickersham.
Jesse & Robert Waln.
Israel Wheeling, Esq; one of the Common Council.
Charles Wharton.
Isaac Wharton.

Y

William Young, Printer & Bookseller.

CONTENTS.

CHAP. I.

Elements of Magnetism.

CHAP. II.

Solution of several Problems.

CHAP. III.

The Objection of false Variation removed.

CHAP. IV.

Concerning the Construction of the Magnetic Atlas.

CHAP. V.

On the Nature of the Magnetic Orbits and Magnetic Meridians.

CHAP. VI.

Concerning the Materials from which the Coasts were laid down.

CHAP. VII.

Concerning the Southern Hemisphere, the Magnetic Almanac, &c.

CHAP. VIII.

Hints concerning the Cause of the Magnetic Variation.

CHAP. IX.

The Method of proving the Revolutions of the two Magnetic Points.

CHAP. X.

On the Magnetic Tides.

Tables. Appendix.

AN

EXPLANATION

OF THE

MAGNETIC ATLAS,

OR

VARIATION CHART, &c.

CHAP. I.

Elements of Magnetism.

Proposition I. FROM *a multitude of observations on the Magnetic Variation, in different parts of the world at places whose situations have been well determined, it is found that the magnetic horizontal needle hath an universal direction towards two points on the surface of the globe, at certain distances, one from the north, the other from the south Pole of the earth.*

Definition I. One of the points towards which the magnetic needle hath a direction, being in the northern hemisphere (for distinction) may be called the *northern magnetic point.*

Def. II. As the other magnetic point is at a certain distance from the south pole of the

earth, it may be termed the *ſouthern magnetic point*.

Note. The northern magnetic point on the chart is diſtinguiſhed by Z.

Prop. II. *The northern magnetic point, in the beginning of the year* 1777, *was in about the latitude of* 76° 4′ *north, and longitude* 90° 58′ *weſt, from Greenwich.*

Prop. III. *The ſituation of the ſouthern magnetic point, in the year* 1777, *I calculated to have been in even numbers in* 72° *ſouth latitude, and* 140° *eaſt longitude from Greenwich.*

Poſtulate. As on a plain a circle can be drawn through any three points, not in a direct line; ſo, on the ſurface of a globe, a circle or curve may be drawn through any three points whatever.

Prop. IV. *A circle drawn through three points on the ſurface of a globe, if the plane of the ſaid circle paſſes through the centre of the globe, will be a great circle.*

Prop. V. *If through three points on the ſurface of a globe a circle be drawn, whoſe plain paſſes not through the centre of the earth; it will be a leſſer circle.*

Def. III. A magnetic meridian is a curve drawn from one magnetic point to the other, through any given part of the globe.

Def. IV. A meridian of the earth is here underſtood to be a ſemicircle, although this term is alſo ſometimes applied to a great circle.

Def. V. The angle between a meridian of the earth, and the magnetic meridian, is the variation of the compaſs.

Prop. VI. *Although the length of the mean time taken by the ſun from its departure from, until its return again to any one meridian of the earth, is well known to be juſt twenty-four hours, yet the mean time of the rotation of the earth on its axis from weſt to eaſt is determined and known to be* $23^h\ 56'\ 4''$.

Prop. VII. *The two magnetic points have a perpetual motion, and alſo perform revolutions round the two poles of the earth, from weſt to eaſt, as pointed out in the tables of their different ſituations; the northern one quicker, and the ſouthern ſlower than the earth.*

Def. VI. The time in which either magnetic point revolves round the pole of the earth, from a conjunction with any fixed ſtar, until its return to the ſame again, may be termed its *ſideral revolution.*

Def. VII. The time which either magnetic point requires from its leaving any one meridian of the earth, until its return to the ſame again, may be termed its *periodical revolution.*

Prop. VIII. *The ſideral revolution of the northern magnetic point is* $23^h\ 55'\ 55''\ 48'''\ 50''''$, *and its periodical revolution* $426^y\ 77^d\ 9^h$.

Prop. IX. *The ſideral revolution of the ſouthern magnetic point is* $23^h\ 56'\ 4''\ 8'''$, *and its periodical revolution* 545 *years, or thereabouts.*

Prop. X. *The two magnetic points are ſometimes on the ſame meridian of the earth; ſometimes on oppoſite meridians, and ſometimes on neither.*

Prop. XI. *Whenever the two magnetic points are either on the ſame or on oppoſite meridians of the earth, then thoſe meridians and the line of no-variation coincide with each other.*

Note. By the tables we find that in the year 1832 the ſouthern magnetic point will be 136° 22′ eaſt from Greenwich, and in the year 1833 the northern magnetic point will be 43° 40′ weſt from the ſame meridian, the ſum of theſe numbers is 180° 2′. Therefore, as any two oppoſite meridians are always 180° aſunder, the two magnetic points about this time will be on oppoſite meridians. Then will the line of no variation be a meridian of the earth, when the calculation will be much more ſimple

Def. VIII. The line of no-variation is a line drawn through the different parts of the globe where the magnetic needle points due north.

Note. The line of no-variation is diſtinguiſhed on the magnetic atlas by a broken curve line, one part of which is now to the weſtward of Philadelphia.

Prop. XII. *The line of no-variation changes its place, as the two magnetic points change their places.*

Prop. XIII. *The line of no-variation alters its curvature, in proportion to the different poſitions of the two magnetic points.*

Prop. XIV. *Whenever the two magnetic points are neither on the ſame nor on oppoſite meridians of the earth, then thoſe parts, where ſome of the magnetic meridians coincide with other parts of different meridians of the earth, will be the line of no-variation.*

Axiom. If the two magnetic points were at equal diſtances from the two poles of the earth, and on oppoſite meridians, they would be diametrically oppoſite to each other.

Prop. XV. *If the two magnetic points were diametrically oppoſite to each other, all the magnetic meridians would be ſemi-circles.*

Prop. XVI. *As the two magnetic points are neither at equal diſtances from the two poles of the earth, nor at preſent on oppoſite meridians, they are not diametrically oppoſite to each other: And,*

Prop. XVII. *As the two magnetic points are not diametrically oppoſite to each other, none of the magnetic meridians, except two, are arches of great circles.*

Def. IX. A circle drawn every way equally diſtant from and between the two magnetic poles, magnetic points, or magnetic nadirs, will be the *magnetic equator.*

Note. The magnetic equator is diſtinguiſhed in the chart by a line paſſing through the Indian Ocean, between the Iſlands of Ceylon and Sumatria.

Def. X. A point diametrically oppoſite the

ſouthern magnetic point, may be termed the *northern magnetic nadir*.

Note. The northern magnetic nadir on the chart is diſtinguiſhed by the letter W.

Def. XI. A point diametrically oppoſite the northern magnetic point, may be termed the *ſouthern magnetic nadir*.

Prop. XVIII. *Although the plane of the only two magnetic meridians, which are arches of great circles, is continually changing, yet the magnetic points, the magnetic poles, and magnetic nadirs, are always in the plane of the ſame*.

Prop. XIX. *The magnetic equator divides the globe into two equal parts*.

Axiom. I. Every circle dividing the globe into two equal parts, is a great circle.

Axiom II. Every great circle has two poles.

Axiom III. The two poles of every great circle are diametrically oppoſite to each other.

Corollary. *Hence the two magnetic poles being diſtinct from the two magnetic points, which influence the direction of the needle, are nothing more than the poles of the magnetic equator*.

Note. The northern magnetic pole is diſtinguiſhed in the chart by the letter X.

Def. XII. A right line drawn from one magnetic point to the other, may be called the *magnetic pointer-axis*.

Def. XIII. A right line drawn from one magnetic pole to the other, may be termed the *magnetic polar-axis.*

Def. XIV. A right line drawn from one magnetic nadir to the other, may be called the *magnetic nadir-axis.*

Prop. XX. *The magnetic polar-axis, and no other, paſſes through the center of the earth.*

Prop. XXI. *The magnetic polar-axis is equally diſtant from and between the magnetic pointer-axis and magnetic nadir-axis, all of which are parallel to each other.*

Prop. XXII. *As the two magnetic points are not diametrically oppoſite to each other, the diſtance between the magnetic points and the magnetic equator, is different on different ſides of the globe; but,*

Prop. XXIII. *The diſtance between the magnetic poles and the magnetic equator is always equal on every ſide of the globe.*

Prop. XXIV. *As the two magnetic points move with unequal velocities, the diſtance between the magnetic pole and the magnetic point undergoes a continual alteration.*

Prop. XXV. *As the diſtance between the magnetic points and the magnetic poles increaſe, ſo all the magnetic meridians which are not arches of great circles decreaſe.*

Def. XV. Asthe magnetic equator divides the globe into two equal parts, for diſtinction, one

half may be called the *northern*, and the other the *southern magnetic hemisphere*.

Prop. XXVI. *In each magnetic hemisphere, the magnetic pole is at any given time equally distant from the magnetic point and the magnetic nadir.*

Def. XVI. Those two points at the intersection of the magnetic equator, and the equator of the earth, may be termed the *magnetic equinoctial points.*

Prop. XXVII. *The two magnetic equinoctial points are diametrically opposite to each other.*

Prop. XXVIII. *The distance between the magnetic pole and the pole of the earth, in either hemisphere, is equal to the angle at either magnetic equinoctial point, formed by the magnetic equator and the equator of the earth.*

Prop. XXIX. *Whenever the line of no-variation is the same with a meridian of the earth, if bisected by the magnetic pointer-axis, it also represents the only two magnetic meridians, which are arches of great circles.*

Def. XVII. The dipping-needle is a magnetic needle suspended on a pin, passing through its centre in a horizontal direction.

Axiom. Magnetic powers of equal force have equal influence, at equal distances.

Corol. I. *As the magnetic equator is equally distant from each magnetic point, if the dipping-needle*

ſtood horizontal on the magnetic equator, the influence of each magnetic point would be equal.

Corol. II. *If the influence of each magnetic point were equal, the magnetic meridians would be all circular curves.*

Corol. III. *If the magretic meridians were all circular curves, they might be conſidered as parts of regular polygons of an infinite number of ſides, and the horizontal magnetic needle would always repreſent one of thoſe ſides.*

Corol. IV. *If thoſe magnetic meridians which are not arches of great circles, be circular curves or not, the horizontal magnetic needle will make always a tangent to the magnetic meridian.*

Prop. XXX. *In the northern magnetic hemiſphere the dipping-needle gives the north dip, and in the ſouthern the ſouth dip, proportionally to the diſtance from the place where it ſtands horizontal.*

Prop. XXXI. *The magnetic equator, as well as thoſe two magnetic meridians, which are arches of great circles, continually changes its place.*

Def. XVIII. If on a globe a number of circles be drawn parallel to the magnetic equator, they may be termed parallels of *magnetic Latitude.*

Prop. XXXII. *If any one magnetic meridian be calculated as a great circle, which is not ſuch, the diff'rence of the angle of magnetic variation between the calculation and actual obſervation will be proportioned to the magnetic latitude.*

Prop. XXXIII. *If, in the ſame parallel of magnetic latitude, any number of magnetic meridians be calculated as great circles, which are not ſuch, the difference of magnetic variation between the calculation and obſervation will be proportioned to the number of degrees on the magnetic equator, computed from its interſection with one of the two magnetic meridians, which are arches of great circles.*

Def. XIX. Spherical Trigonometry is that ſcience which teaches how to calculate the parts of triangles formed on the ſurface of a ſphere, by three arches of great circles.

Note. The leſſer circles of the ſphere, by different authors on this ſubject, have heretofore been declared not to fall under trigonometrical calculation, not only becauſe they are of different magnitudes, or that they have not the ſame radius as the great circles; but alſo, becauſe their planes do not neceſſarily cut one and the ſame axis, nor paſs through the centre of the ſphere.

Corol. *Hence as, by the preſent method, leſſer circles of the ſphere are calculated, as well as great circles, a new branch of ſcience is obtained.*

CHAP. II.

Solution of ſeveral Problems.

PROBLEM I.

Given, the ſituation of the place.

Required, the variation of the compaſs for any time paſt, preſent, or future.

FIND firſt the place of both the magnetic points, by the tables; ſecondly, draw a curve from one magnetic point to the other, through the given place; this curve will be the magnetic meridian, and the contained angle between the magnetic meridian, thus drawn, and the meridian of the earth at the given place, is the variation of the compaſs for that time.

EXAMPLE.

For the time to which the chart is fitted, it is required to know the variation of the compaſs in latitude 44° 30′ north, and longitude 170° eaſt from Greenwich.

Firſt find where this meridian and parallel of latitude meet on the chart, then trace thoſe two meridians ſlightly with a pencil, from the interſection, the length of the radius of the circle from which the line of chords is conſtructed, that they may be better diſtinguiſhed.

Secondly, meaſure the angle between the meridian of the earth and the magnetic meridian, or between the black line and dotted line, which is the ſame thing, which angle is 20 degrees: and

as the dotted line runs here to the eaſtward of the black line, the variation is conſequently 20 degrees eaſt.

Note. Efface with a rubber the mark made by the pencil, that the chart may not be injured.

PROLLEM II.

Given, the variation of the compaſs, and latitude.

Required, the longitude.

Find what is the angle of variation at the interſection of the deſired meridian and parallel of latitude, and when the obſervation of the variation is equal to the variation on the chart, the ſhip muſt be in the longitude required.

EXAMPLE I.

A ſhip ſailing in the latitude of 50° north, on a voyage from Philadelphia to London, it is required to know when ſhe is within twenty degrees of the meridian of Greenwich. In meaſuring the angle on the chart between the twentieth meridian from Greenwich and the magnetic meridian, in the latitude of 50° north, it is found to be 22° 20′ weſt: ſo that when the accurate obſerver finds 22° 20′ weſt variation in the latitude of 50° north, he knows himſelf to be 20° weſt from the meridian of Greenwich.

EXAMPLE II.

A ſhip is bound from Philadelphia to Liſbon, and is ſailing in the latitude of 40° north; it is

required to know when she is within 15 degrees of the meridian of Greenwich: the angle between the black and dotted lines is measured at the intersection of the fortieth degree of latitude, and the fifteenth meridian from Greenwich; this angle is found to be 19° 10′; therefore, when the variation is 19° 10′ west in the latitude of 40° north, the observer must consequently be within fifteen degrees of the meridian of Greenwich; and as Lisbon is 8° 52′ west from Greenwich, if this is subtracted from 15°, it gives 6° 8′ for the longitude of the place of observation west from Lisbon.

PROBLEM III.

To find the situation of those two magnetic meridians, which alone are arches of great circles for any given time:

Find first the place of the magnetic points by the tables, for the time required; secondly, find either of the two magnetic nadirs which are opposite to the two magnetic points; thirdly, draw a circle through these three points, and this will always be a great circle: fourthly, bisect this great circle with the magnetic axis, which is a right line passing from one magnetic point to the other, and these two parts will represent those only two magnetic meridians which are arches of great circles for any given time.

EXAMPLE.

For the beginning of the year 1794 (the time for which the chart is constructed) we find, by

the tables, that the northern magnetic point will be 76° 37′ 17″ weſt from Greenwich, and that in the year 1792 the ſouthern magnetic point will be 139° eaſt from the ſame meridian: as the ſouthern magnetic point alters its place by ſlow degrees, two years will make but a ſmall difference. Then ſeeing it is ſelf-evident that two oppoſite meridians are always 180° apart, becauſe 139° added to 41° are equal to 180°, the northern magnetic nadir muſt be 41° weſt from Greenwich, and the ſame diſtance from the equator as the ſouthern magnetic point; therefore, a circle drawn through the northern magnetic point Z, the northern magnetic nadir W, and the ſouthern magnetic point, will be a great circle; and if this circle is biſected by the magnetic axis, theſe two parts will be the only two magnetic meridians which are to be arches of great circles for that time.

PROBLEM IV.

To find the ſituation of the magnetic equator for any given time:

Find firſt the ſituation of thoſe two magnetic meridians which are arches of great circles for the time required, by the laſt problem; ſecondly, find a point in one of thoſe magnetic meridians which are arches of great circles, half way between the magnetic point and magnetic nadir; this will be the magnetic pole: thirdly, draw a circle every way 90° diſtant from the magnetic pole, which will be a great circle, and will be the magnetic equator.

EXAMPLE.

The northern magnetic pole is diſtinguiſhed on the chart by the letter X; and if a great circle is drawn every way 90° diſtant from X, it will paſs between the iſlands of Ceylon and Sumatra, and will be the magnetic equator for that time, as will appear by the name thereof on the chart.

CHAP. III.

The Objection of falſe Variation removed.

IF occaſion ſhould require, it will be very eaſy to compare the Magnetic Atlas with Captain Cooke's obſervations; and although the agreement may not be exact, this will be accounted for, from ſeveral cauſes: Firſt, the variation of the compaſs at the ſame place being ſubject to change, the length of time between Cooke's laſt obſervations, and the time for which the Magnetic Atlas is conſtructed, will cauſe a conſiderable difference: Secondly, notwithſtanding Captain Cooke, and the officers who bore him company, were poſſeſſed of very great abilities in the line of their profeſſion,---perhaps, neither the variation of the needle, nor the ſituation of the place where it was obſerved, was at all times truly determined. The principal cauſe of falſe variation has been, with great reaſon, attributed to the influence which the *iron* on board the ſhip has over the magnetic needle: it was, therefore, natural to conſider, how this main objection

might be overcome. The following method has been found, by actual obſervation and experiment, to have the deſired effect:

It is nothing more than fixing a true meridian on the ſhore, out of the reach of the attraction of iron: here the variation is taken by different compaſſes on this meridian; and if they are all true, they give the ſame variation at the ſame time and place; then, before the ſhip ſails, the variation is taken on board, having the ſhip turned, if occaſion ſhould require, on every point of the compaſs; and, by noting the difference between the true variation on the true meridian, and the falſe variation on board, a a table of difference may be conſtructed, which perhaps will always give the allowance neceſſary to be made for falſe variation, throughout any voyage.

It is well known, that on land there is no difficulty in determining the longitude by Jupiter's ſatellites: if the true ſituation of any coaſt, and the ſituation of the magnetic points for any given time, are known, it is eaſy to find the true variation by calculation; ſo that if bodies of iron ore upon the ſea ſhore ſhould even influence the needle, the difference between the variation by calculation and obſervation will conſequently be the allowance for falſe variation: By this method the variation may be very eaſily corrected, with a little care.

Sometimes the variation by amplitude has been different from that by azimuth: this difficulty appears to be removed in a very ſatisfactory man-

ner in Profeſſor Van Swinden's letter, publiſhed in the appendix, to which I muſt beg leave to refer.

CHAP. IV.

Concerning the Conſtruction of the Magnetic Atlas.

THE main object in view, has been, to prove the principles of the plan; and, as moſt of the places from which the proofs are drawn, are computed from the meridian of Greenwich, I have alſo called this the firſt meridian; ſuppoſing, the obſervations could be compared with leſs trouble on the preſent chart, which is conſtructed in ſuch a manner, that, if the blank gores were cut out, the remainder would fit and cover half a globe, forty-eight inches in circumference. Theſe blank ſpaces, as they become very narrow in the latitude of ſixty, were made to terminate in that degree; whereas, if they had been continued to the pole of the earth, the chart would, conſequently, have been more correct.

Moreover, this method of projecting the ſphere with the magnetic meridians, will perhaps, upon inſpection, be found to ſhew the proportions of each country, as well as the nature of the curves formed by the magnetic meridians, better than upon Mercator's projection, on which the Hallean lines are delineated. As the preſent projection may ſerve not only for a chart, but for covering globes, if occaſion ſhould require.

CHAP. V.

On the Nature of the Magnetic Orbits and Magnetic Meridians.

BY the tables of the places of the two magnetic points, they are repreſented to have an equable and uniform motion; the orbits are likewiſe deſcribed on the chart to be circular; but, as the antient magnetic obſervations ſeldom appear ſo correct as could be deſired,---if future experience ſhould prove them to be in any degree elliptical, the progreſs of the magnetic points, therein, will probably be preciſely conformable thereto. All the earth's meridians are diſtinguiſhed by black lines, and the magnetic meridians by dotted lines. The magnetic meridians are all projected as circular curves, although, as demonſtrated in the magnetic elements, none except two are arches of great circles. If future experience ſhould even prove that the influence of one magnetic point ſhould be greater than that of the other, which ſeems in ſome degree to be the caſe, as this proportion will be better eſtabliſhed by a little more experience, there appears not the leaſt doubt but they will always be included within the moſt rigid rules of calculation: had the encouragement been ſufficient, it would have been highly neceſſary that the ſcale on which the work was laid ſhould have been conſiderably larger in proportion to the radius of the circle, on which the line of chords is conſtructed; for if the radius of this circle had been ſhorter than is delineated on the corner of the magnetic atlas, there would have been an

inconveniency; as the odd minutes of magnetic variation could not have been meaſured with ſo much exactneſs: therefore I have conſtructed the lines of chords, ſines, tangents, &c. by a circle, whoſe radius is two inches, being the ſame length as thoſe on Gunter's ſcale. But if any cauſes ſhould occaſion, on the chart, the angle at the place of obſervation between the magnetic meridian and the meridian of the earth to meaſure more or leſs to the northward than the ſouthward, a mean is recommended to be taken for the true variation.

CHAP. VI.

Concerning the Materials from which the Coaſts were laid down.

IT is generally allowed, that the greateſt danger in navigation, is near the coaſt of a country: On this account, every coaſt ſhould be laid down with the greateſt care. I hold myſelf under many obligations, for the aſſiſtance which I have had from the works of many of the moſt able geographers and modern circumnavigators, whoſe labours have been of infinite ſervice in this undertaking; as well on the coaſts of the old world, as of the new diſcoveries: but, as they have alſo been obliged, in many inſtances, to depend on the obſervations of their predeceſſors,---I hope not to be blamed on this account; as this indulgence is univerſally allowable. The Magnetic Atlas may therefore be ſaid to be compoſed, not only from my own knowledge in

America, but alſo from a collection of many works of the beſt authority, and from the moſt accurate aſtronomical obſervations: yet, if any errors ſhould be incorporated therein, they will be beſt rectified by future experience.

CHAP. VII.

Concerning the Southern Hemiſphere, the Magnetic Almanac, &c.

IT appears to be a matter of the moſt conſequence, to publiſh, firſt, the Northern Hemiſphere, as it is navigated much more than the ſouthern; and the truth and utility of this chart will the ſooner be brought to the teſt. However, I have alſo in hand a chart of the Southern Hemiſphere, on the ſame projection; which will be applied to uſe with much more exactneſs, than the preſent,---ſeeing the ſouthern magnetic point is much nigher to the equator of the earth than the northern magnetic point; and conſequently, the variation of the compaſs alters more in the ſouthern hemiſphere, in proportion to the diſtance run.

But if the ſmallneſs of the ſcale, or any combination of cauſes, ſhould conſpire to render theſe charts in any degree imperfect; theſe objections will probably be all overcome, in another new work, to be entitled, THE MAGNETIC ALMANAC, containing an univerſal ſet of tables, ſhewing what latitude and variation correſpond with any part of any meridian; and made eaſy to the

moſt common capacity, without the trouble of meaſuring angles: This work has been ſome time preparing for the preſs; and will be the reſult of tens of thouſands of calculations.

CHAP. VIII.

Hints concerning the Cauſe of the Magnetic Variation.

FINDING it now univerſally admitted, that two magnetic points, not diametrically oppoſite to each other, are ſufficient to account for the variation in all the different parts of the earth, and to correſpond with obſervation; there muſt, neceſſarily, be a cauſe for the needle having an univerſal direction towards theſe two magnetic points; and this cauſe muſt either be below the ſurface of the earth, or above the ſame. The celebrated Doctor Halley ſuppoſed the cauſe to be below the ſurface, and communicated by the earth:----but the northern magnetic point is found to move faſter than the earth, from weſt to eaſt, as will appear by the tables. And, as it is an axiom long eſtabliſhed, that "No cauſe can give what it has "not itſelf,"---it is left to the judgment of others, whether, or not, the earth can give a ſwifter motion, than it has itſelf, to a nucleus therein contained. With a view to experiments, I have made ſeveral trials to embark on a voyage to that part of Baffin's Bay, where the north point of the needle is attracted: hoping that ſome obſervations might be made, as well

to determine how nearly the variation could be aſcertained, as to throw ſome light on this myſterious principle, in the expectation, that they might probably pave the way to other diſcoveries: and apprehending, likewiſe, there would be no difficulty in ſailing to the northern magnetic point; becauſe navigators have frequently ſailed near five degrees further north, although on another ſide of the globe. I have alſo been induced to contemplate ſuch an undertaking at this time, becauſe this year began with very moderate weather, which continued for the moſt part, ſo very mild, that it is thought, by ſome accurate obſervers, to have been the moſt moderate winter during the memory of man; and therefore it was natural to conclude, firſtly, that there was leſs ice made this winter, than commonly; ſecondly, that the leſs ice there is made in winter, the ſooner it would melt in the ſpring; thirdly, that the ſooner the ice ſhould diſſolve in the ſpring, the longer would be the enſuing ſummer in the northern regions.

Theſe ſeveral concluſions cauſed me to ſtrain every nerve, to perform the propoſed voyage: but, as the publication of the preſent chart had been promiſed a conſiderable time, it was thought it could not, with propriety, be delayed any longer. The deſire of making uſe of this favourable time to go abroad cauſed the work to be too much hurried: ſo that whatever may be the faults in the execution, it is hoped the many reſpectable ſubſcribers, and others, will beſtow upon it their uſual candour, and give it a favourable reception; without ſuppo-

ſing that the principles will be affected thereby. Hoping, on my part, that theſe labours will eventually prove uſeful to mankind; and, by leſſening the dangers of the ſea, that thoſe brave and uſeful citizens who are employed on the watery element, may be ſecured from at leaſt a *part* of the numerous caſualties and diſtreſſes to which they are daily expoſed in navigating the trackleſs ocean; and that I may thus become an humble inſtrument, in the hands of Providence, to prolong the lives of many of my fellow-men.

CHAP. IX.

The Method of proving the Revolutions of the two Magnetic Points.

IT may, perhaps, not be improper to add ſomething concerning the manner in which the periods of the revolutions of the two magnetic points are proved: for this purpoſe, recourſe has been had to actual obſervations of the magnetic variation, made at different times, in both hemiſpheres, at ſeveral places, the ſituations of which have probably been well determined.

1ſtly, In the beginning of the preſent year, 1790, the longitude of the northern magnetic point, as appears by the tables, is calculated to be 80° weſt; the ſouthern magnetic point, in 1787, is found to be 139° 20′ eaſt; and the city of Philadelphia being in latitude 39° 56′ 55″ north, and longitude 75° 13′ 30″ weſt, all computed

from Greenwich; the variation of the compaſs here is 1° 57′ weſt; a magnetic meridian drawn from one magnetic point to the other, through the city of Philadelphia, makes an angle with this meridian of 1° 57′, which is found to agree with the real fact.

2dly, In the year 1657, by the tables, the northern magnetic point is placed in 167° 39′ eaſt, and the ſouthern one 147° 54′ eaſt from the ſame meridian. This year, the magnetic needle at Greenwich, or London, pointed due north; and as the magnetic needle is always a tangent to the curve formed by the magnetic meridian, if this curve is drawn for the year 1657, from one magnetic point to the other, through the city of London, the magnetic needle, at that time and place, will be a tangent to the curve; then there will be no angle between the magnetic meridian, thus drawn, and the meridian of London.

3dly, In the year 1642, by the tables, the northern magnetic point was in 154° 59′ eaſt, and the ſouthern one in 148° 54′ eaſt. In this year Taſman viſited Van Diemen's Land, where it is reported by him, that the needle pointed due north. The ſituation of Adventure Bay, in Van Diemen's Land, being aſcertained by Captain Cooke, in the year 1777, to be in 43° 21′ ſouth latitude, and 147° 25′ eaſt longitude: If a curve is drawn from one magnetic point to the other, through Adventure Bay, for the year 1642, this curve will coincide with the meridian of the earth at this bay, as was really the caſe, accor-

ding to Taſman's obſervation. This will, no doubt, be a ſatisfactory proof, to ſuch who have leiſure to try the experiments; but it may be ſuppoſed, by ſome, that as there was no variation this year at this place, the ſouthern magnetic point muſt have been on the ſame meridian of the place where the magnetic needle points north: if the two magnetic points had been either on the ſame, or on oppoſite meridians, this muſt have been the caſe, according to the foregoing elements; but although they were within 6° 5′ of the ſame meridian, this difference is ſufficient to cauſe the line of no-variation not to be a meridian of the earth. A miſtake of this ſort I at firſt fell into; for on reading that there was no variation at London in the year 1657, I concluded that the northern magnetic point was juſt 180° from that place, without ſufficiently conſidering, that the ſouthern magnetic point was then neither on the ſame nor on oppoſite meridians; which cauſed an error in the revolution of the northern magnetic point, which now ſtands rectified in the preſent chapter: But if, by future obſervations, the period of either ſhould be found not quite ſo exact as the length of a year, this, it is hoped, will be pardonable, ſeeing the preciſe length of a year has not been long determined, notwithſtanding the many volumes of aſtronomical obſervations during ſo many centuries. Thus, having ſufficient data to prove nearly in what parts of their orbits the magnetic points were in former times, the next thing will be to try how near the periods will agree with the tables of the two magnetic points. I ſhall treat firſt of the periodical and ſideral re-

volution of the northern one. In the beginning of this preſent year, 1790, we find, by calculation, that the northern magnetic point is 80° weſt; and in 1657 it was 167° 39′ eaſt from Greenwich, we have 80° + 167° 39′ = 247° 39′; then if we take the number of degrees round the earth 360° — 247° 39′ = 112° 21′. Alſo *Anno Dom.* 1790 — 1657 = 133 years; then as 112° 21′ : 360° : : 133^{y} : 426^{y} 77^{d} 9^{h} 54′. Then for the ſideral revolution of the northern magnetic point, As 426^{y} 77^{d} 9^{h} 54′ : 360° :: 23^{h} 56′ 4″ : 8″ 18‴ 9⁗ then we take the length of a ſideral day, 23^{h} 56′ 4″ — 8″ 18‴ 9⁗ = 23^{h} 55′ 55″ 41‴ 51⁗; this will be the ſideral revolution required.

Secondly, for the periodical and ſideral revolutions of the ſouthern magnetic point: It is found, by calculation, from the obſervations of Capt. Cooke, in the ſouthern hemiſphere, in the year 1777, that the ſouthern magnetic point was in even numbers 140° eaſt longitude from Greenwich; and by Taſman's obſervation, in the year 1642, a like calculation is made, by which the ſouthern magnetic point is found to be in about 148° 54′ 9″ 27‴ eaſt, then we have 148° 54′ 9″ 27‴ — 140° = 8° 54′ 9″ 27‴. Likewiſe 1777 — 1642 = 135 years; then as 8° 54′ 9″ 27‴ : 360° : : 135^{y} : 5459 years for the periodical revolution of the ſouthern magnetic point. And for the ſideral revolution of the ſouthern magnetic point, we have the following proportion, viz. As 5459^{y} = 172,269,335,460″ : 360° = 77,760,000‴ : : 23^{h} 56′ 4″ = 86164″ : 38‴ + 23^{h} 56′ 4″ = 23^{h} 56′ 4″ 38‴ for the ſideral revolution of the ſouthern magnetic point.

CHAP. X.

On the Magnetic Tides.

BESIDES the ever memorable deluges of Noah, Ogyges, and Deucalion, we have innumerable other accounts of the waters of the ocean making leſs remarkable encroachments on the ſhores at particular times and places, and returning to their former bounds. If it were neceſſary, a multitude of inſtances might be produced; though, were I only to hint at one twentieth part of thoſe which might be enumerated, they would far exceed the propoſed bounds of the preſent work. Among the writings of the antient Romans, ſome accounts of this ſort ſtand recorded in Ovid's Metamorphoſes,

" *I've ſeen the ſolid earth transform'd to ſea,*
" *And water alſo turn to ſolid land,*
" *Fiſhes' ſhells lie diſtant from the ocean,*
" *And ruſty anchors on the tops of mountains!*

And Horace ſings, that

" *Fiſhes ſwam in buſhy groves,*
" *Once the well known perch of doves.*

The author of the Hiſtory of the Earth and Animated Nature gives many inſtances confirming the ſame opinion, and adds, that the ſeas being thus ſeen to give and take away lands at pleaſure, is, without queſtion, one of the moſt extraordinary conſiderations in all natural hiſtory. In ſome places, he ſays, it is ſeen to obtain the ſuperiority by ſlow and certain approaches; or to burſt in at once, and overwhelm all things

in undiſtinguiſhed deſtruction; in other places it departs from its ſhores, and where its waters have been known to rage, it leaves fields which ſoon become covered with the moſt beautiful verdure; and in another place, "that all this is wonderful; and perhaps, inſtead of attempting to enquire after the cauſe, which has hitherto been inſcrutable, it will beſt become us to reſt ſatisfied with admiration." I have taken ſome pains in making a collection of all the accounts of this ſort within my reach, and find that the low countries, the United Netherlands in particular, have often been overflowed: I ſhall at preſent ſelect only three of the laſt which have happened in that champaign country. The firſt of the three was about the year of our Lord 570, when Turonens ſays, that even the people of part of France were almoſt ſwallowed up by inundations; that Italy alſo ſuffered prodigiouſly, and the whole wall of Lyons was thrown down.

Secondly; Henry the firſt, of England, was born in the year 1068, and in his time there happened a mighty inundation, which extended to Flanders; whereby a great part of that country was irrecoverably loſt, and many of the poor diſtreſſed people, being bereft of their habitations, came over to England; King Henry, taking compaſſion of their diſtreſt condition, and alſo conſidering that they might be beneficial to his ſubjects, by inſtructing them in manufactures, he firſt ſettled them about Carliſle, and afterwards removed them into South Wales, where many of their poſterity are reported by the celebrated Ray to be remaining in his time.

About this time alſo, a large eſtate, or iſland, the patrimony of Earl Goodwin, containing about 4000 acres, was overflowed by the ocean, and was afterwards called the Goodwin ſands.

The laſt inundation of note which happened in Holland, was in the year 1446, when the ſea gradually ſwelled, until it broke in at Dort, and drowned one hundred thouſand perſons, and a greater number about Dullart: two or three hundred villages are declared, by Ray, to have been laid under water, leaving the tops of ſteeples and towers viſible when the tide was out.

If we only contemplate the time between theſe former inundations, and conceive that what has happened heretofore may alſo come about again, may not we then, in the approaching century, at the ſame place, expect the like event?

After collecting various accounts of inundations which have happened in different parts of the world, and in different ages, and after their arrangement in chronological order, there is found a very remarkable agreement between them and the periods of revolution of the magnetic points. Hence, from a variety of deductions, the following concluſions are drawn.

1ſt. That as the periodical revolution of the northern magnetic point is in even numbers, about 426 years, whenever this alone comes on the meridian of any place, the waters of the ocean gradually ſwell to ſuch a degree, as to overflow all low flat lands near its borders, which may be termed a *magnetic tide*.

2d. That as the periodical revolution of the ſouthern magnetic point is about 5,429 years, when the two magnetic points are in conjunction, the ocean ſwells to ſuch a degree, as gradually to cover the high grounds, which may be termed a *magnetic ſpring tide*.

3. That at the times of the deluge of Noah, of Ogyges, and Deucalion, the two magnetic points, from their rate of revolution, were both near the meridian of thoſe places where they happened reſpectively, and never ſince.

According to the beſt accounts, Noah's deluge was 2349 years before the birth of Chriſt, and Deucalion's deluge 1500 years before the ſame period. Then 2349—1500=849—426=423; and as the period of the northern magnetic point is about 426, theſe two deluges make within three years of two revolutions of the northern magnetic point. But the famous deluge of Ogyges happened between that of Noah and Deucacalion. Ogyges was King of the Thebans, or, as ſome ſay, of Ogygia and Acte, afterwards Boeotia and Attica; he is recorded to have been the firſt founder of Thebes and Eleuſin: ſome affirm that he periſhed with all his ſubjects 1796 years before Chriſt. In Ray's Phyſico Theological diſcourſes, the deluge of Ogyges is ſaid to have laid waſte the country where it happened, almoſt two hundred years. I therefore ſuſpect the time commonly allowed for that event is the time in which the waters abated, otherwiſe there would have been ſo little time between the deluges of Ogyges and Deucalion as not to diſtin-

guiſh them apart. The northern magnetic point muſt have been near the meridian of Athens, in Greece, at the deluge of Noah, according to its rate of revolution. Athens is 24° eaſt longitude from Greenwich, and the northern magnetic point in 1790 is 80° weſt from the ſame meridian. We have 80° + 24° = 104°; then round the earth is 360° — 104° = 256°; likewiſe 360° × 9 revolutions = 3240° + 256° = 3496°. Alſo Noah's deluge before Chriſt 2349 + 1790 = 4139; then as $4139^{y} : 3496^{\circ} :: 1^{y} : 50' 40'' 44'''$ for its annual rate, which is found to agree with the tables to a minute.

Then, in order to try the agreement of the ſouthern magnetic point, according to its rate of revolution it muſt have been, at the beginning of the deluge of Ogyges, near the meridian of Athens, 24° eaſt longitude from Greenwich, and in 1777 it was 140° eaſt by calculation and the tables; We have 140 — 24 = 116, and the degrees round the globe 360° — 116° = 244° for the number run ſince the deluge of Ogyges. Then from the beginning of this deluge, before Chriſt, 1923^{y} + 1777 = 3700 years; then as $244^{\circ} : 3700^{y} :: 360^{\circ}$: 5459 years, which agrees exactly with the tables and calculation in the laſt chapter, and I hope none will imagine an inconſiſtency with the dignity of the Deity, in acting by ſecondary cauſes in this caſe, as well as many others.

Diodorus Siculus, in his fifth book, gives an antient ſtory, current among the Samothracians, that before any other floods recorded in hiſtory,

there was a very great deluge that overflowed a good part of the coaſt of Aſia, and the lower grounds of its iſlands, when the Euxine ſea firſt broke open the Thracian Boſphorus and Helleſpont, and drowned all the adjacent countries.

Many of the moderns ſeem to think that the account of the great iſland of Atlantis, mentioned by the antients, is not altogether fabulous, and that America agrees to the deſcription thereof; it is reported to have ſunk under water, at a time anſwerable to the two magnetic points being in conjunction on this ſide of the world. The moſt diſtinct account of this extenſive country is mentioned in the Timaeus of Plato, according to the following abridgement. The Atlantis was a large iſland in the Weſtern Ocean, ſituated before or oppoſite to the Straits of Gades (or Cadiz, near Gibraltar.) Out of this iſland there was an eaſy paſſage into ſome others, which lay near a large continent exceeding in greatneſs all Europe and Aſia. Neptune ſettled in this iſland, (from whoſe ſon Atlas its name was derived) and divided it among his ten ſons. To the youngeſt fell the extremity of the iſland called Gadir, which, in the language of the country, ſignifies fertile, or abundant in ſheep. At length, the iſland ſunk under water, and for a long time afterwards the ſea thereabouts was full of rocks and ſhelves.

As the iſthmus of Darien is ſo very narrow, perhaps South America itſelf was the iſland of Atlantis, and North-America nothing leſs than

that great continent deſcribed by Plato. It is true that petrified ſea ſhells are often found in layers on high ground, and the natives of this country have a tradition of its being overflowed. Lewis Evans, in a note in his firſt map of the American colonies, declares, we have glaring marks of a deluge in America of a more recent date than thoſe of the old world. Nay, Thomas Jefferſon, Eſq; the Secretary of State, in his notes on Virginia, and Charles Thomſon, Eſq; late Secretary of Congreſs, in an appendix thereto, both give us very pertinent and entertaining remarks on this ſubject. General Lincoln, likewiſe, in a letter to the Preſident of the Univerſity of Cambridge, in Maſſachuſetts, which is publiſhed in the Memoirs of the American Academy of Arts, makes ſome ingenious obſervations pointing the ſame way. To theſe ſeveral valuable works I muſt beg leave to refer.

Since the Settlement of North-America, by Europeans, it is manifeſt that the ſea has made conſiderable encroachments on the land; on the eaſtern coaſt of this country a multitude of evidences are viſible, which agree with this hypotheſis; as in Nova-Scotia the ſtumps of trees are ſeen twenty feet below the common high water mark. On the banks of Delaware river, lives a poor old illiterate man, who has diſtinguiſhed the higheſt tide which has happened every year for many years, by a notch on a tree near the ſhore; he has continued his obſervations, until his marks have mounted one above another in a ſurpriſing manner; and ſome men are ſtill living in Dela-

ware State, who have reaped wheat on grounds which are now converted to ſalt marſh. On Cheſapeak Bay, when the lands were firſt ſurveyed, ſome of them were bounded by marked trees, which then ſtood on dry ground, and now their ſtumps ſtand under water; alſo, in ſome places, where orchards were planted near the ſhore, the waters have encroached to ſuch a degree as to kill the fruit trees: at one place a burying-ground is now part daſhed by the waves, which was once at a diſtance from the ſhore. In Capt. Bernard Romans's Natural Hiſtory of Florida, vol. I. page 20, he deſcribes a number of ſtumps which are only to be ſeen at low water: he believes them to be the ruins of antient foreſts, on which the ſea has made an encroachment.

A Table

OF THE PLACE OF THE NORTHERN MAGNETIC POINT,

For the beginning of each Year, from the time of its leaving the Meridian of Greenwich the laſt time (which was in the Year 1459) until its return to the ſame Meridian again, which will be in the Year 1884, including one full peirod, or 426 Years, 77 Days, 9 hours, or thereabouts, moving at the rate of $50^{l}\ 40^{ll}\ 44^{lll}$ of Longitude in a Year.

After Chriſt	East. ° ′ ″ ‴
1459	0 25 17 16
1460	1 15 58 00
1461	2 06 38 44
1462	2 57 19 28
1463	3 48 00 12
1464	4 38 40 56
1465	5 29 21 40
1466	6 20 02 24
1467	7 10 43 08
1468	8 01 23 52
1469	8 52 04 36
1470	9 42 45 20
1471	10 33 26 04
1472	11 24 06 48
1473	12 14 47 32
1474	13 05 28 16
1475	13 56 09 00
1476	14 46 49 44
1477	15 37 30 28
1478	16 28 11 12
1479	17 18 51 56
1480	18 09 32 40
1481	19 00 13 24
1482	19 50 54 08
1483	20 41 34 52
1484	21 32 15 36
1485	22 22 56 20
1486	23 13 37 04
1487	24 04 17 48
1488	24 54 58 32
1489	25 45 39 16
1490	26 36 20 00
1491	27 26 00 44
1492	28 17 41 28
1493	29 08 22 12
1494	29 59 02 56
1495	30 49 43 40
1496	31 40 24 24
1497	32 31 05 08
1498	33 21 45 52
1499	34 12 26 36
1500	35 03 07 20
1501	35 53 48 04
1502	36 44 28 48
1503	37 35 09 32
1504	38 25 50 16
1505	39 16 31 00
1506	40 07 11 44
1507	40 57 52 28
1508	41 48 33 12
1509	42 39 13 56
1510	43 29 54 40
1511	44 20 35 24
1512	45 11 16 08
1513	46 01 56 52
1514	46 52 37 36

After Chriſt	East. ° ′ ″ ‴
1514	46 52 37 36
1515	47 43 18 20
1516	48 33 59 04
1517	49 24 39 48
1518	50 15 20 32
1519	51 06 01 16
1520	51 56 42 00
1521	52 47 22 44
1522	53 38 03 28
1523	54 28 44 12
1524	55 19 24 56
1525	56 10 05 40
1526	57 00 46 24
1527	57 51 27 08
1528	58 42 07 52
1529	59 32 48 36
1530	60 23 29 20
1531	61 14 10 04
1532	62 04 50 48
1533	62 55 31 32
1534	63 46 12 16
1535	64 36 52 00
1536	65 27 32 44
1537	66 18 13 28
1538	67 08 54 12
1539	67 59 34 56
1540	68 50 15 40
1541	69 40 56 24
1542	70 31 37 08
1543	71 22 17 52
1544	72 12 58 36
1545	73 03 39 20
1546	73 54 20 04
1547	74 45 00 48
1548	75 35 41 32
1549	76 26 22 16
1550	77 17 03 00
1551	78 07 43 44
1552	78 58 24 28
1553	79 49 05 12
1554	80 39 45 56
1555	81 30 26 40
1556	82 21 07 24
1557	83 11 48 08
1558	84 02 28 52
1559	84 53 09 36
1560	85 43 50 20
1561	86 34 31 04
1562	87 25 11 48
1563	88 15 52 32
1564	89 06 33 16
1565	89 57 13 00
1566	90 47 54 44
1567	91 38 35 28
1568	92 29 16 12
1569	93 19 56 56

After Chriſt	East. ° ′ ″ ‴
1570	94 10 38 40
1571	95 01 19 24
1572	95 52 00 08
1573	96 42 40 52
1574	97 33 21 36
1575	98 24 02 20
1576	99 14 43 04
1577	100 05 23 48
1578	100 56 04 32
1579	101 46 45 16
1580	102 37 26 00
1581	103 28 06 44
1582	104 18 47 28
1583	105 09 28 12
1584	106 00 08 56
1585	106 50 49 40
1586	107 41 30 24
1587	108 32 11 08
1588	109 22 51 52
1589	110 13 32 36
1590	111 04 13 20
1591	111 54 54 04
1592	112 45 34 48
1593	113 36 15 32
1594	114 26 56 16
1595	115 17 37 00
1596	116 08 17 44
1597	116 58 58 28
1598	117 49 39 12
1599	118 40 19 56
1600	119 31 00 40
1601	120 21 41 24
1602	121 12 22 08
1603	122 03 02 52
1604	122 53 43 36
1605	123 44 24 20
1606	124 35 05 04
1607	125 25 45 48
1608	126 16 26 32
1609	127 07 07 16
1610	127 57 48 00
1611	128 48 28 44
1612	129 39 09 28
1613	130 29 50 12
1614	131 20 30 56
1615	132 11 11 40
1616	133 01 52 24
1617	133 52 33 08
1618	134 43 13 52
1619	135 33 54 36
1620	136 24 35 20
1621	137 15 16 04
1622	138 05 56 48
1623	138 56 37 32
1624	139 47 18 16
1625	140 37 59 00

After Chriſt	East. ° ′ ″ ‴
1625	140 37 59 00
1626	141 28 39 44
1627	142 19 20 28
1628	143 10 01 12
1629	144 00 41 56
1630	144 51 22 40
1631	145 42 03 24
1632	146 32 44 08
1633	147 23 24 52
1634	148 14 05 36
1635	149 04 46 20
1636	149 55 27 04
1637	150 46 07 48
1638	151 36 48 32
1639	152 27 29 16
1640	153 18 10 00
1641	154 08 50 44
1642	154 59 31 28
1643	155 50 12 12
1644	156 40 52 56
1645	157 31 33 40
1646	158 22 14 24
1647	159 12 55 08
1648	160 03 35 52
1649	160 54 16 36
1650	161 44 57 20
1651	162 35 38 04
1652	163 26 18 48
1653	164 16 59 32
1654	165 07 40 16
1655	165 58 21 00
1656	166 49 01 44
1657	167 39 42 28
1658	168 30 23 12
1659	169 21 03 56
1660	170 11 44 40
1661	171 02 25 24
1662	171 53 06 08
1663	172 43 46 52
1664	173 34 27 36
1665	174 25 08 20
1666	175 15 49 04
1667	176 06 29 48
1668	176 57 10 32
1669	177 47 51 16
1670	178 38 32 00
1671	179 29 12 44

After Chriſt	West. ° ′ ″ ‴
1672	179 48 06 32
1673	178 58 47 48
1674	177 58 45 04
1675	177 08 04 20
1676	176 17 23 36
1677	175 26 42 52
1678	174 36 02 08
1679	173 45 21 24
1680	172 54 40 40
1681	172 03 59 56
1682	171 13 19 12
1683	170 22 38 28
1684	169 31 57 44
1685	168 41 17 00
1686	167 50 36 16
1687	166 59 55 32
1688	166 09 14 48
1689	165 18 34 04
1690	164 27 53 20
1691	163 37 12 36
1692	162 46 31 52
1693	161 55 51 08
1694	161 05 10 24
1695	160 14 29 40
1696	159 23 48 56
1697	158 33 08 12
1698	157 42 27 28
1699	156 51 46 44
1700	156 01 06 00
1701	155 10 25 16
1702	154 19 44 32
1703	153 29 03 48
1704	152 38 23 04
1705	151 47 42 20
1706	150 57 01 36
1707	150 06 20 52
1708	149 15 40 08
1709	148 24 59 24
1710	147 34 18 40
1711	146 43 37 56
1712	145 52 57 12
1713	145 02 16 28
1714	144 11 35 44
1715	143 20 55 00
1716	142 30 14 16
1717	141 39 33 32
1718	140 48 52 48
1719	139 58 12 04
1720	139 07 31 20
1721	138 16 50 36
1722	137 26 09 52
1723	136 35 29 08
1724	135 44 48 24
1725	134 54 07 40
1726	134 03 26 56
1727	133 12 46 12

After Chriſt	West. ° ′ ″ ‴
1727	133 12 46 12
1728	132 22 05 28
1729	131 31 24 44
1730	130 40 44 00
1731	129 50 03 16
1732	128 59 22 32
1733	128 08 41 48
1734	127 18 01 04
1735	126 27 20 20
1736	125 36 39 36
1737	124 45 58 52
1738	123 55 18 08
1739	123 04 37 24
1740	122 13 56 40
1741	121 23 15 56
1742	120 32 35 12
1743	119 41 54 28
1744	118 51 13 44
1745	118 00 33 00
1746	117 09 52 16
1747	116 19 11 32
1748	115 28 30 48
1749	114 37 50 04
1750	113 47 09 20
1751	112 56 28 36
1752	112 05 47 52
1753	111 15 07 08
1754	110 24 26 24
1755	109 33 45 40
1756	108 43 04 56
1757	107 52 24 12
1758	107 01 43 28
1759	106 11 02 44
1760	105 20 22 00
1761	104 29 41 16
1762	103 39 00 32
1763	102 48 19 48
1764	101 57 39 04
1765	101 06 58 20
1766	100 16 17 36
1767	99 25 36 52
1768	98 34 56 08
1769	97 44 15 24
1770	96 53 34 40
1771	96 02 53 56
1772	95 12 13 12
1773	94 21 32 28
1774	93 30 51 44
1775	92 40 11 00
1776	91 49 30 16
1777	90 58 49 32
1778	90 08 08 48
1779	89 17 28 04
1780	88 26 47 20
1781	87 36 06 36
1782	86 45 25 52

After Chriſt	West. ° ′ ″ ‴
1782	86 45 25 52
1783	85 54 45 08
1784	85 04 04 24
1785	84 13 23 40
1786	83 22 42 56
1787	82 32 02 12
1788	81 41 21 28
1789	80 50 40 44
1790	80 00 00 00
1791	79 09 19 16
1792	78 18 38 32
1793	77 27 57 48
1794	76 37 17 04
1795	75 46 36 20
1796	74 55 55 36
1797	74 05 14 52
1798	73 14 34 08
1799	72 23 53 24
1800	71 33 12 40
1801	70 42 31 56
1802	69 51 51 12
1803	69 01 10 28
1804	68 10 29 44
1805	67 19 49 00
1806	66 29 08 16
1807	65 38 27 32
1808	64 47 46 48
1809	63 57 06 04
1810	63 06 25 20
1811	62 15 44 36
1812	61 25 03 52
1813	60 34 23 08
1814	59 43 42 24
1815	58 53 01 40
1816	58 02 20 56
1817	57 11 40 12
1818	56 20 59 28
1819	55 30 18 44
1820	54 39 38 00
1821	53 48 57 16
1822	52 58 16 32
1823	52 07 35 48
1824	51 16 55 04
1825	50 26 14 20
1826	49 35 33 36
1827	48 44 52 52
1828	47 54 12 08
1829	47 03 31 24
1830	46 12 50 40
1831	45 22 09 56
1832	44 31 29 12
1833	43 40 48 28
1834	42 50 07 44
1835	41 59 27 00
1836	41 08 46 16
1837	40 18 05 32

After Chriſt	West. ° ′ ″ ‴
1837	40 18 05 32
1838	39 27 24 48
1839	38 36 44 04
1840	37 46 03 20
1841	36 55 22 36
1842	36 04 41 52
1843	35 14 01 08
1844	34 23 20 24
1845	33 32 39 40
1846	32 41 58 56
1847	31 51 18 12
1848	31 00 37 28
1849	30 09 56 44
1850	29 19 16 00
1851	28 28 35 16
1852	27 37 54 32
1853	26 47 13 48
1854	25 56 33 04
1855	25 05 52 20
1856	24 15 11 36
1857	23 24 30 52
1858	22 33 50 08
1859	21 43 09 24
1860	20 52 28 40
1861	20 01 47 56
1862	19 11 07 12
1863	18 20 26 28
1864	17 29 45 44
1865	16 39 05 00
1866	15 48 24 16
1867	14 57 43 32
1868	14 07 02 48
1869	13 16 22 04
1870	12 25 41 20
1871	11 35 00 36
1872	10 44 19 52
1873	9 53 39 08
1874	9 02 58 24
1875	8 12 17 40
1876	7 21 36 56
1877	6 30 56 12
1878	5 40 15 28
1879	4 49 34 44
1880	3 58 54 00
1881	3 08 13 16
1882	2 17 32 32
1883	1 26 51 48
1884	0 36 11 04

A Table

OF THE PLACE OF THE SOUTHERN MAGNETIC POINT,

From within a Century of the time of the Creation (according to the Mosaic account) until the year of our Lord 3877, including a period of 7800 Years, as it is found to change its place, at the rate of 6° 35′ 40″ 32‴ in a hundred Years, the Longitude computed from the Meridian of Greenwich,

Before Christ	East. °	′	″	‴
3923	155	33	30	40
3823	149	17	50	08
3723	142	42	09	36
3623	136	06	29	04
3523	129	30	48	32
3423	122	55	08	00
3323	116	19	27	28
3223	109	43	46	56
3123	103	08	06	24
3023	96	32	25	52
2923	89	56	45	20
2823	83	21	04	48
2723	76	45	24	16
2623	70	09	43	44
2523	63	34	03	12
2423	56	58	22	40
2323	50	22	42	08
2223	43	47	01	36
2123	37	11	21	04
2023	30	35	40	32
1923	24	00	00	00
1823	17	24	19	28
1723	10	48	38	56
1623	04	12	58	24
	West.			
1523	02	22	42	08
1423	08	58	22	40
1323	15	34	03	12
1223	22	09	43	44
1123	28	45	24	16
1023	35	21	04	48
923	41	56	45	20
823	48	32	25	52
723	55	08	06	24
623	61	43	46	56
523	68	19	27	28
423	74	55	08	00
323	81	31	48	32
223	88	06	29	04
123	94	42	09	36
23	101	17	50	08

After Christ	West. °	′	″	‴
77	107	53	30	40
177	114	29	11	12
277	121	04	51	44
377	127	40	32	16
477	134	16	12	48
577	140	51	53	20
677	147	27	33	52
777	154	03	14	24
877	160	38	54	56
977	167	14	35	28
1077	173	50	16	00
1177	179	34	03	28
	East.			
1277	172	58	22	46
1377	166	22	42	14
1477	159	47	01	42

After Christ	East. °	′	″	‴
1482	159	27	14	41
1487	159	07	27	40
1492	158	47	40	39
1497	158	27	53	38
1502	158	08	06	37
1507	157	48	19	36
1512	157	28	32	35
1517	157	08	45	34
1522	156	48	58	33
1527	156	29	11	32
1532	156	09	24	31
1537	155	49	37	30
1542	155	29	50	29
1547	155	00	03	28
1552	154	50	16	27
1557	154	30	29	26
1562	154	10	42	25
1567	153	50	45	24
1572	153	31	08	23
1577	153	11	21	22
1582	152	51	34	21
1587	152	31	47	20
1592	152	12	00	19
1597	151	52	13	18
1602	151	32	26	17
1607	151	12	39	16
1612	150	52	52	15
1617	150	33	05	14
1622	150	13	18	13
1627	149	53	30	30
1632	149	33	43	29
1637	149	13	56	28
1642	148	54	09	27
1647	148	34	22	26
1652	148	14	35	25
1657	147	54	48	24
1662	147	35	01	23
1667	147	15	14	22
1672	146	55	27	21
1677	146	35	40	20

After Christ	East. °	′	″	‴
1682	146	15	53	19
1687	145	56	06	18
1692	145	36	19	17
1697	145	16	32	16
1702	144	56	45	15
1707	144	36	58	14
1712	144	17	11	13
1717	143	57	24	12
1722	143	37	37	11
1727	143	17	50	10
1732	142	58	03	09
1737	142	38	16	08
1742	142	18	29	07
1747	141	58	42	06
1752	141	38	55	05
1757	141	19	08	04
1762	140	59	21	03
1767	140	39	34	02
1772	140	19	47	01
1777	140	00	00	00
1782	139	40	12	59
1787	139	20	25	58
1792	139	00	38	57
1797	138	40	51	56
1802	138	21	04	55
1807	138	01	17	54
1812	137	41	30	53
1817	137	21	43	52
1822	137	01	56	51
1827	136	42	09	50
1832	136	22	22	49
1837	136	02	35	48
1842	135	42	48	47
1847	135	23	01	46
1852	135	03	14	45
1857	134	43	27	44
1862	134	23	40	43
1867	134	03	53	42
1872	133	44	06	41

After Christ	East. °	′	″	‴
1877	133	24	19	40
1977	126	48	39	02
2077	120	12	58	30
2177	113	37	17	58
2277	107	01	37	26
2377	100	25	56	54
2477	93	50	16	22
2577	87	14	35	50
2677	80	38	45	18
2777	74	03	14	46
2877	67	27	34	14
2977	60	51	53	42
3077	54	16	13	10
3177	47	40	32	38
3277	41	04	52	06
3377	34	29	11	34
3477	27	53	31	02
3577	21	17	50	30
3677	14	42	09	58
3777	8	06	29	26
3877	1	30	48	54

N. B. The foregoing calculations, for the Southern Magnetic point, are computed for the beginning of each Year.

APPENDIX.

Having received a conſiderable number of letters on the ſubject of the foregoing tract, from perſons of eminence; for brevity's ſake, only a few are inſerted.

LETTER I.

From the American Miniſter and Plenipotentiary at the Court of France.

PARIS, AUGUST 8th, 1787.

SIR,

I HAVE duly received your favour of June 6th, and immediately communicated its contents to a member of the Academy.* He told me they had received the other copy of your memorial, which you mention to have ſent through another channel; that your ideas were not conveyed ſo explicitly as to enable them to decide *finally* on their merit; but that they had made an entry on their Journals, to preſerve to you the claim to the *original* idea. As far as we can conjecture it here, we imagine you make a table of variations of the needle, for all the different meridians whatever. To apply this table to uſe, in a voyage between America and Europe,—ſuppoſe the variation to increaſe a degree in every 160 miles,—two difficulties occur: 1ſt, a ready and accurate method of finding the variation of the place; 2d, an inſtrument, ſo perfect as that (though the degree on it ſhall repreſent 160 miles) it ſhall give the parts of the degree, ſo minutely as to anſwer the purpoſes of the navigator. The variation of the needle at Paris actually is 21° Weſt. I make no doubt but you have provided againſt the doubts entertained here; and I ſhall be happy that our country may have the honour of furniſhing the old world, what it has ſo long ſought in vain. I am, with much reſpect,

Sir, your moſt obedient humble ſervant,

THOMAS JEFFERSON.

MR. JOHN CHURCHMAN, Philadelphia.

* *The Royal Academy of Sciences.*

LETTER II.

From Sir Joſeph Banks, Bart. Preſident of the Royal Society of London.

SOHO SQUARE, SEPT. 1ſt, 1787.

SIR,

I HAVE received your ingenious letter relative to the variation of the needle, and take the liberty of adviſing you to purſue, with diligence, a ſubject on which it appears to me you have made a progreſs, ſufficient to authorize a reaſonable hope, that ſcience will derive real increaſe from your labours.

The Royal Society having lately removed into a new houſe, the firſt ſeries of obſervations relative to the variation is only now in its courſe. I cannot therefore tell you with the utmoſt preciſion what the variation is there; our inſtrument at preſent gives 23° 8′ Weſt. which probably is ſufficiently exact for your purpoſe: preſently, when the inſtrument is moved, we ſhall find if the magnetiſm of the building has any material effect upon it, of which, if it has, I ſhall with pleaſure inform you I am, Sir,

Your obedient and moſt humble ſervant,

JOS: BANKS.

MR. JOHN CHURCHMAN.

LETTER III.

From the Houſe of Delegates in Maryland, dated at Annapolis, in December, 1787.

SIR,

I AM commanded, by the Honourable Houſe of Delegates, to return you their thanks. for your communication and explanation of your ideas, relative to the principles of magnetiſm, and their application in regulating the ſurveys of land; and I, with pleaſure, return you the thanks of the Houſe accordingly. I am, &c. &c. THOMAS C. DEYE.

Speaker of the Houſe of Delegates.

To JOHN CHURCHMAN, Eſq.

LETTER IV.

From Sir H. Parker, Bart. Secretary to the Board of Longitude in Great-Britain.

ADMIRALTY, 20th DEC. 1787.

SIR,

I HAD the honour, at the meeting of the Commiſſioners of Longitude, the 8th of this month, to lay before them the memorial you ſome time ſince tranſmitted to me, ſtating, that you have diſcovered certain fixed principles in magnetiſm, which will aſcertain, to a great preciſion, the longitude of places in all parts of the globe, &c.: and I am directed to acquaint you, the Board have the ſubject matter of your ſaid memorial under conſideration and will take an early opportunity of giving you their ſentiments upon what you have ſubmitted to them. I am, Sir,

Your moſt humble ſervant,

H. PARKER, Sec'ry to the Commiſſioners of Longitude.

MR. JOHN CHURCHMAN, Philadelphia.

LETTER V.

An extract of one, from Charles Blagden, M. D. Secretary to the Royal Society of London.

LONDON, JULY 6, 1789.

SIR,

I HAVE received your letter, with the encloſed addreſs,* and preſented the letter to the Royal Society, who deſired their thanks to be returned for the ſame. It is contrary to the rules of the Society to read before them

* An addreſs to the members of the different learned ſocieties, ſhewing the deficiencies in profeſſer Eulers memoir on this ſubject, ſee American Muſeum for May 1789.

printed papers, or such as are known to have been communicated to other learned bodies. The rumour of Sir Joseph Banks's death was without foundation: he is here in good health, and informs me, that your three letters† are in his possession.

† *Three letters on other subjects, duplicates of which were addressed to Comte de Cassini, Director of the Royal Observatory at Paris.*

LETTER VI.

From the American Minister and Plenipotentiary at the Court of France.

PARIS, SEPT. 18th, 1789.

SIR,

I HAVE duly received your favour of the 15th of May. I had before received, and answered, the first letter you wrote me; but the second, which you mention to have written, never came to hand. I have sent to the Secretary of the Academy of Sciences the ‡ printed paper enclosed in your last. I asked at the same time the authenticated § copy, which you desired, of the entry on their Journals, relative to your former communications to them. This I now enclose to you, as I received it from the Marquis de Condorcet, their Secretary. Being about to leave this country, on a visit to my own, I shall be in hopes of perhaps meeting you some where in my tour; and of expressing to you, in person, my readiness, on all occasions, to be useful to you, in the business now in hand, and the sentiments of esteem with which I am, Sir,

Your most obedient humble servant,

THO. JEFFERSON.

Mr. CHURCHMAN.

§ *Copy of the entry on the Journals of the Royal Academy of Sciences above mentioned:*

" La lettre de M. Churchman, de Philadelphie, sur la variation de l'aiman, " à eté lue à l'Academie des Sciences de Paris, le 16 Juin, 1787.

" Je certifiê cet extrait conforme aux registres de l'Academié à Paris, " le 15 Septembre, 1789.

" LE MARQUIS DE CONDORCET."

LETTER VII.

From Nicholas Van Staphorst, Esq; of Holland

Mr. JOHN CHURCHMAN, in Philadelphia,

AMSTERDAM, 22d OCTOBER, 1789.

SIR,

I RECEIVED, in due time, your very esteemed favour of 17th April, with the printed address ‡ mentioned therein, which I with great pleasure laid before my worthy friend, Professor Van Swinden, whose observa-

‡ *An address to the members of the different learned societies, shewing the deficiencies in professor Euler's memoir on this subject, see American Museum for May 1789.*

tions thereon you will have in the enclosed remarks from him, in French and English. The works he alludes to, I forward in a packet, by this conveyance, to Mr. George Mead, of your city, to be delivered to you; and sincerely wishing they may prove to your satisfaction. I am, with every disposition to render you the useful or agreeable offices in my power, very truly, Sir,

Your most obedient humble servant,

NICHOLAS VAN STAPHORST.

LETTER VIII.

Being an extract of one from J. H. Van Swinden, Professeur de Philosophie dans l'Université de Franeker, Associé ètranger de la Société Royal de Médecine de Paris, Membre des Academies de Bruxelles & de Bavière; des Sociètés de Haarlem & d' Utrecht; Membre Consultant de la Société de Physique expérimentale de Rotterdam, & de la Société de Médicine de la Haye: Correspondant des Académies Royales de Paris & de Turin.

TO determine the longitude by observations on declination, is a great undertaking, and worthy of all our encomiums. Navigators are most interested in its good success. This success depends, I think, upon the complete solution of these two very interesting problems: first, to determine by theory what must be, at a given time, the declination of the magnetic needle, for every point of the globe, or for every place, whose longitude and latitude are given; secondly, in a place whose latitude is given, the declination at a certain time being known, to conclude its longitude by comparing the said observation with the theory.

The first problem consists of two parties, *the one purely mathematical, the other physico-mathematical, because it is a question to draw from the observations, the chief data upon which the real calculations are to be founded.*

The main part of observations made at sea are deficient, not only because they are perhaps ill made, but because they are ill calculated. I know certainly they commit a considerable error with respect to this on board of our East-Indiamen, of our merchantmen, and even on board of several of our men of war; namely: They take an observation of the sun at its rising or setting, the very moment its centre appears upon the horizon; then they compute its octave, *or* occase *amplitude, whence they deduce the declination. But when the sun's centre seems to be in the horizon, he is really* 33′ *under it: and so the arch contained between the needle and the apparent place of the centre, is not the arch contained between the needle and the true centre, and this is more or less to the east or west, than is supposed in the calculation. This error, that could be so easily corrected, may amount sometimes to two degrees, being one while additional, another subtractive. By those means, the declination seamen put in their journals is always faulty, though their observation be right; I looked over a great quantity of journals, and I saw, what was a necessary consequence of what I said, that the declination by amplitude is always different from that by azimuth. And this, though any body might say it is of little consequence in practice, is, nevertheless, of great importance in theory, and for the laws that may be deduced from a series of observations of that kind.*

Report of a Committee of Congreſs, which was publiſhed in the Journal.

In the Houſe of Repreſentatives of the United States,
Monday, 20th April, 1789.

MR. Tucker reported, from the Committee to whom was referred the petitions of John Churchman and * David Ramſay,—that the Committee had, according to order, had the ſaid petitions under their conſideration, and agreed to report thereupon; which he delivered in at the Clerk's table, where the ſame was twice read, and debated by clauſes, the firſt clauſe, in the words following,—to wit,

"The Committee have conferred with Mr. Churchman, and find he has made many calculations, which tend to eſtabliſh his poſition, that there are two magnetic points, which give direction to the needle. That, upon this doctrine, he has endeavoured to aſcertain, from a given latitude, and a given variation, what muſt be the longitude of the place; and, having applied his principles to many inſtances in Cooke's Voyages, has found the reſult to correſpond, with conſiderable accuracy, with the real facts, as far as they could be determined by the reckoning of the ſhip. That the object to which Mr. Churchman's labours are directed, is, confeſſedly, of very high importance; and his ideas on the ſubject appear to be ingenious. That, with a view of applying them to practice, he has contrived a map and a globe, whereby to ſhew the angles which are made by the interſection of the real and the magnetic meridians, in different parts of the earth. That he is alſo engaged in conſtructing tables, for determining the longitude at ſea, upon magnetic principles. That the committee are of opinion, that ſuch efforts deſerve encouragement; and that a law ſhould paſs to ſecure to Mr. Churchman, for a term of years, the excluſive pecuniary emolument to be derived from the publication of theſe ſeveral inventions,"—was again read; and, on the queſtion put thereupon, agreed to, by the Houſe.

The ſecond clauſe, in the words following,—to wit: "With reſpect to the voyage propoſed by Mr. Churchman, to Baffin's Bay, the Committee are cautious of recommending, in the preſent deranged ſtate of our finances, a precipitate adoption of a meaſure, which would be attended with conſiderable expence: But they are of opinion, that, at a future day, if Mr. Churchman's principles ſhould be found to ſucceed in practice, it would be proper to give farther encouragement to his ingenuity,"—was again read; and, on a motion made, ordered to lie on the table.

On motion, ordered,—That a bill or bills be brought in, making a general proviſion for ſecuring to authors and inventors the excluſive right to their reſpective writings and diſcoveries; and that Mr Huntington, Mr. Cadwallader, and Mr. Contee, do prepare and bring in the ſame.

Extract from the Journal.

JOHN BECKLEY, CLERK.

* *Dr. Ramſay's petition was concerning his hiſtory of the revolution.*

ERRATA.

Page.	Line.				
14	13	for	plain	read	plane
15	26		$48^{''}\ 50^{'''}$		$41^{''}\ 51^{'''}$
17	29		Sumatria		Sumatra
19	24		diſtance		diſtances
25	24		magnetic axis		magnetic pointer axis
28	15		a a table		a table



2708174